

CHEMISTRY

TEST PAPER WITH SOLUTION


SECTION-A

61. Two nucleotides are joined together by a linkage known as :


- (1) Phosphodiester linkage
- (2) Glycosidic linkage
- (3) Disulphide linkage
- (4) Peptide linkage

Ans. (1)


Sol. Phosphodiester linkage



62. Highest enol content will be shown by :



Ans. (2)




63. Element not showing variable oxidation state is :

- (1) Bromine
- (2) Iodine
- (3) Chlorine
- (4) Fluorine


Ans. (4)

Sol. Fluorine does not show variable oxidation state.

64. Which of the following is strongest Bronsted base?



Ans. (4)



65. Which of the following electronic configuration would be associated with the highest magnetic moment ?


- (1) [Ar] 3d⁷
- (2) [Ar] 3d⁸
- (3) [Ar] 3d³
- (4) [Ar] 3d⁶

Ans. (4)


Sol.

	3d ⁷	3d ⁸	3d ³	3d ⁶
No. of unpaired e ⁻	3	2	3	4
Spin only Magnetic moment	$\sqrt{15}$ BM	$\sqrt{8}$ BM	$\sqrt{15}$ BM	$\sqrt{24}$ BM

66. Which of the following has highly acidic hydrogen?



Ans. (4)



Conjugate base is more stable due to more resonance of negative charge.

67. A solution of two miscible liquids showing negative deviation from Raoult's law will have :

- (1) increased vapour pressure, increased boiling point
- (2) increased vapour pressure, decreased boiling point
- (3) decreased vapour pressure, decreased boiling point
- (4) decreased vapour pressure, increased boiling point

Ans. (4)

Sol. Solution with negative deviation has



$$P_T < P_A^0 X_A + P_B^0 X_B$$

$$P_A < P_A^0 X_A$$

$$P_B < P_B^0 X_B$$

If vapour pressure decreases so boiling point increases.

68. Consider the following complex ions



The correct order of the complex ions, according to their spin only magnetic moment values (in B.M.) is :

- (1) $R < Q < P$
- (2) $R < P < Q$
- (3) $Q < R < P$
- (4) $Q < P < R$

Ans. (3)



Sol. $[\text{FeF}_6]^{3-} : \text{Fe}^{+3} : [\text{Ar}] 3d^5$



No. of unpaired electron's = 5

$$\mu = \sqrt{5(5+2)}$$


$$\mu = \sqrt{35} \text{ BM}$$



No. of unpaired electron's = 3

$$\mu = \sqrt{3(3+2)}$$

$$\mu = \sqrt{15} \text{ BM}$$



No. of unpaired electron's = 4


$$\mu = \sqrt{4(4+2)}$$

$$\mu = \sqrt{24} \text{ BM}$$

69. Choose the polar molecule from the following :

- (1) CCl_4
- (2) CO_2
- (3) $\text{CH}_2 = \text{CH}_2$
- (4) CHCl_3

Ans. (4)



$$\mu \neq 0$$

CHCl_3 is polar molecule and rest all molecules are non-polar.

70. Given below are two statements :

Statement (I) : The 4f and 5f - series of elements are placed separately in the Periodic table to preserve the principle of classification.

Statement (II) : s-block elements can be found in pure form in nature. In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Statement I is true but Statement II is false
- (4) Both Statement I and Statement II are false

Ans. (3)

Sol. s-block elements are highly reactive and found in combined state.

71. Given below are two statements :

Statement (I) : p-nitrophenol is more acidic than m-nitrophenol and o-nitrophenol.


Statement (II) : Ethanol will give immediate turbidity with Lucas reagent.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Statement I is true but Statement II is false
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is false but Statement II is true

Ans. (1)

Sol. Acidic strength



Ethanol give lucas test after long time

Statement (I)→correct

Statement (II) → incorrect


72. The ascending order of acidity of –OH group in the following compounds is :

- (A) Bu – OH
- (B)
- (C)
- (D)
- (E)

Choose the correct answer from the options given below :

- (1) (A) < (D) < (C) < (B) < (E)
- (2) (C) < (A) < (D) < (B) < (E)
- (3) (C) < (D) < (B) < (A) < (E)
- (4) (A) < (C) < (D) < (B) < (E)

Ans. (4)



73. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Melting point of Boron (2453 K) is unusually high in group 13 elements.


Reason (R) : Solid Boron has very strong crystalline lattice.

In the light of the above statements, choose the most appropriate answer from the options given below ;

- (1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (2) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (3) (A) is true but (R) is false
- (4) (A) is false but (R) is true


Ans. (2)

Sol. Solid Boron has very strong crystalline lattice so its melting point unusually high in group 13 elements

74. Cyclohexene  is _____ type of an organic compound.

- (1) Benzenoid aromatic
- (2) Benzenoid non-aromatic
- (3) Acyclic
- (4) Alicyclic

Ans. (4)

Sol.  is Alicyclic

75. Yellow compound of lead chromate gets dissolved on treatment with hot NaOH solution. The product of lead formed is a :

- (1) Tetraanionic complex with coordination number six
- (2) Neutral complex with coordination number four
- (3) Dianionic complex with coordination number six
- (4) Dianionic complex with coordination number four

Ans. (4)

Sol. $\text{PbCrO}_4 + \text{NaOH (hot excess)} \rightarrow [\text{Pb(OH)}_4]^{2-} + \text{Na}_2\text{CrO}_4$
Dianionic complex with coordination number four

76. Given below are two statements :

Statement (I) : Aqueous solution of ammonium carbonate is basic.

Statement (II) : Acidic/basic nature of salt solution of a salt of weak acid and weak base depends on K_a and K_b value of acid and the base forming it.


In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Statement I is correct but Statement II is incorrect
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is incorrect but Statement II is correct

Ans. (1)


Sol. Aqueous solution of $(\text{NH}_4)_2\text{CO}_3$ is Basic
pH of salt of weak acid and weak base depends on K_a and K_b value of acid and the base forming it

77. IUPAC name of following compound (P) is :



- (1) 1-Ethyl-5, 5-dimethylcyclohexane
- (2) 3-Ethyl-1,1-dimethylcyclohexane
- (3) 1-Ethyl-3, 3-dimethylcyclohexane
- (4) 1,1-Dimethyl-3-ethylcyclohexane

Ans. (2)



3-ethyl 1, 1 -dimethylcyclohexane

78. NaCl reacts with conc. H_2SO_4 and $\text{K}_2\text{Cr}_2\text{O}_7$ to give reddish fumes (B), which react with NaOH to give yellow solution (C). (B) and (C) respectively are ;

- (1) CrO_2Cl_2 , Na_2CrO_4
- (2) Na_2CrO_4 , CrO_2Cl_2
- (3) CrO_2Cl_2 , KHSO_4
- (4) CrO_2Cl_2 , $\text{Na}_2\text{Cr}_2\text{O}_7$

Ans. (1)

Sol. $\text{NaCl} + \text{conc. H}_2\text{SO}_4 + \text{K}_2\text{Cr}_2\text{O}_7 \rightarrow \text{CrO}_2\text{Cl}_2 + \text{KHSO}_4 + \text{NaHSO}_4 + \text{H}_2\text{O}$
(B)

Reddish brown

$\text{CrO}_2\text{Cl}_2 + \text{NaOH} \rightarrow \text{Na}_2\text{CrO}_4 + \text{NaCl} + \text{H}_2\text{O}$
(C)

Yellow colour

79. The correct statement regarding nucleophilic substitution reaction in a chiral alkyl halide is ;

- (1) Retention occurs in $\text{S}_{\text{N}}1$ reaction and inversion occurs in $\text{S}_{\text{N}}2$ reaction.
- (2) Racemisation occurs in $\text{S}_{\text{N}}1$ reaction and retention occurs in $\text{S}_{\text{N}}2$ reaction.
- (3) Racemisation occurs in both $\text{S}_{\text{N}}1$ and $\text{S}_{\text{N}}2$ reactions.
- (4) Racemisation occurs in $\text{S}_{\text{N}}1$ reaction and inversion occurs in $\text{S}_{\text{N}}2$ reaction.

Ans. (4)

Sol. $\text{S}_{\text{N}}1$ – Racemisation

$\text{S}_{\text{N}}2$ – Inversion

80. The electronic configuration for Neodymium is:

[Atomic Number for Neodymium 60]

- (1) [Xe] 4f⁴ 6s² (2) [Xe] 5f⁴ 7s²
 (3) [Xe] 4f⁶ 6s² (4) [Xe] 4f¹ 5d¹ 6s²

Ans. (1)

Sol. Electronic configuration of Nd (Z = 60) is;

[Xe] 4f⁴ 6s²

SECTION-B

81. The mass of silver (Molar mass of Ag : 108 gmol⁻¹) displaced by a quantity of electricity which displaces 5600 mL of O₂ at S.T.P. will be _____ g.

Ans. 107 gm or 108

Sol. Eq. of Ag = Eq. of O₂

Let x gm silver displaced,

$$\frac{x \times 1}{108} = \frac{5.6}{22.7} \times 4$$

(Molar volume of gas at STP = 22.7 lit)

$$x = 106.57 \text{ gm}$$

Ans. 107


OR,

as per old STP data, molar volume = 22.4 lit

$$\frac{x \times 1}{108} = \frac{5.6}{22.4} \times 4, x = 108 \text{ gm.}$$

Ans. 108

82. Consider the following data for the given reaction



	1	2	3
HI (mol L ⁻¹)	0.005	0.01	0.02
Rate (mol L ⁻¹ s ⁻¹)	7.5 × 10 ⁻⁴	3.0 × 10 ⁻³	1.2 × 10 ⁻²

The order of the reaction is _____.

Ans. (2)

Sol. Let, R = k[HI]ⁿ

using any two of given data,

$$\frac{3 \times 10^{-3}}{7.5 \times 10^{-4}} = \left(\frac{0.01}{0.005} \right)^n$$

$$n = 2$$

83. Mass of methane required to produce 22 g of CO₂ after complete combustion is _____ g.

(Given Molar mass in g mol⁻¹ C = 12.0

H = 1.0

O = 16.0)

Ans. (8)

Sol. CH₄ + 2O₂ → CO₂ + 2H₂O

$$\text{Moles of CO}_2 = \frac{22}{44} = 0.5$$

So, required moles of CH₄ = 0.5

$$\text{Mass} = 0.5 \times 16 = 8 \text{ gm}$$

84. If three moles of an ideal gas at 300 K expand isothermally from 30 dm³ to 45 dm³ against a constant opposing pressure of 80 kPa, then the amount of heat transferred is _____ J.

Ans. (1200)

Sol. Using, first law of thermodynamics,

$$\Delta U = Q + W,$$

$$\Delta U = 0 : \text{Process is isothermal}$$

$$Q = -W$$


$$W = -P_{\text{ext}} \Delta V : \text{Irreversible}$$

$$= -80 \times 10^3 (45 - 30) \times 10^{-3}$$

$$= -1200 \text{ J}$$

85. 3-Methylhex-2-ene on reaction with HBr in presence of peroxide forms an addition product (A). The number of possible stereoisomers for 'A' is _____.


Ans. (4)



2 chiral centres

No. of stereoisomers = 4


86. Among the given organic compounds, the total number of aromatic compounds is



Ans. (3)

Sol. B,C and D are Aromatic

87. Among the following, total number of meta directing functional groups is (Integer based)



Ans. (4)

Sol. –NO₂, – C≡N, –COR, –COOH are meta directing.

88. The number of electrons present in all the completely filled subshells having $n=4$ and $s = +\frac{1}{2}$ is _____.

(Where n = principal quantum number and s = spin quantum number)

Ans. (16)


Sol. $n = 4$ can have,

	4s	4p	4d	4f
Total e ⁻	2	6	10	14
Total e ⁻ with $S = +\frac{1}{2}$	1	3	5	7


So, Ans.16

89. Sum of bond order of CO and NO⁺ is _____.

Ans. (6)



90. From the given list, the number of compounds with + 4 oxidation state of Sulphur _____.



Ans. (3)

Sol.

Compounds	SO ₃	H ₂ SO ₃	SOCl ₂	SF ₄	BaSO ₄	H ₂ S ₂ O ₇
O.S.of Sulphur:	+6	+4	+4	+4	+6	+6